DLTC®

鹰爪锯片

彰显鹰爪高品质
信得过的产品
值得拥有

Eagle Claw Saw Blade Sharp claws
Highlighting the high quality of
Eagle Claws Trusted Products
worth having

鹰爪锯片
爪爪锋利

ЗВЕРЬ® DLTC® TCT SAW BLADE

装修级木用
UNIVERSAL QUALITY FOR WOOD

应用:适用于纵、横切
适用机器:手提锯、台锯、便携式圆锯机
加工材料:软木、硬木、胶合板
优势:经济
Application: For rip and cross cut
Machines: Portable machines, table and mitre saws
Material: Soft and hard wood plywood
Advantage: Economic

锯齿细节Carbide Details

装修级木工系列参数Universal Quality for Wood Series Specifications

直径*切口*内径*齿数 OD*Kerf*ID*Teeth	装箱数 PCS/CTN	直径*切口*内径*齿数 OD*Kerf*ID*Teeth	装箱数 PCS/CTN
Φ110(4")*1.6*20*30T	200	Φ250(10")*2.4*25.4*40T	25
Φ110(4")*1.6*20*40T	200	Φ250(10")*2.4*25.4*60T	25
Φ110(4")*1.6*20*50T	200	Φ250(10")*2.4*25.4*80T	25
Φ125 (5")*1.6*20*30T	200	Φ250(10")*2.4*25.4*100T	25
Φ125 (5")*1.6*20*40T	200	Φ250(10")*2.4*25.4*120T	25
Φ150(6")*1.8*25.4*40T	50	Φ300(12")*2.6*30*40T	20
Φ150(6")*1.8*25.4*60T	50	Φ300(12")*2.6*30*60T	20
Φ165(6.5")*1.8*20*24T	50	Φ300(12")*2.6*30*80T	20
Φ165(6.5")*1.8*20*30T	50	Φ300(12")*2.6*30*100T	20
Φ165(6.5")*1.8*20*40T	50	Φ300(12")*2.6*30*120T	20
Φ180(7")*1.8*25.4*40T	50	Φ350(14")*2.8*30*40T	10
Φ180(7")*1.8*25.4*60T	50	Φ350(14")*2.8*30*60T	10
Φ180(7")*1.8*25.4*80T	50	Φ350(14")*2.8*30*80T	10
Φ200(8")*2.0*25.4*40T	50	Φ350(14")*2.8*30*100T	10
Φ200(8")*2.0*25.4*60T	50	Φ350(14")*2.8*30*120T	10
Φ200(8")*2.0*25.4*80T	50	Φ400(16")*3.0*30*40T	10
Φ230(9")*2.4*25.4*40T	25	Φ400(16")*3.0*30*60T	10
Φ230(9")*2.4*25.4*60T	25	Φ400(16")*3.0*30*80T	10
Φ230(9")*2.4*25.4*80T	25	Φ400(16")*3.0*30*100T	10
Φ230(9")*2.4*25.4*100T	25	Φ400(16")*3.0*30*120T	10

装修级铝用
UNIVERSAL QUALITY FOR ALUMINIUM

应用:适用于切断、分料
适用机器:台锯、便携式圆锯机
加工材料:铝管、型材、铝块、铜、塑钢
优势:经济
Application: For cutting and dividing tubes
Machines: Table saw, mitre saw
Material: Aluminium tubes frames, solid blocks copper, plastic
Advantage:Economic



锯齿细节Carbide Details

装修级铝合金系列参数Universal Quality for Aluminium Series Specifications

直径*切口*内径*齿数 OD*Kerf*ID*Teeth	装箱数 PCS/CTN
Φ250(10")*2.8*25.4*100T	25
Φ250(10")*2.8*25.4*120T	25
Φ300(12")*2.8*30*100T	20
Φ300(12")*2.8*30*120T	20
Φ350(14")*3.4*30*100T	10
Φ350(14")*3.4*30*120T	10
Φ400(16")*3.6*30*100T	10
Φ400(16")*3.6*30*120T	10

ЗВЕРЬ® DLTC® TCT SAW BLADE

专业级木用
PROFESSIONAL QUALITY FOR WOOD

应用:适用于纵、横切
适用机器:手提锯、台锯、便携式圆锯机
加工材料:软木、硬木、胶合板
优势:耐用
Application: For rip and cross cut
Machines: Portable machines, table and mitre saws
Material: Soft and hard wood plywood
Advantage: Durable

锯齿细节Carbide Details

专业级木工系列参数Professional Quality for Wood Series Specifications

直径*切口*内径*齿数 OD*Kerf*ID*Teeth	装箱数 PCS/CTN
Φ110(4")*1.8*20*30T	200
Φ110(4")*1.8*20*40T	200
Φ110(4")*1.6*20*50T	200
Φ110(4")*1.8*20*20+20T	200
125(5")*1.8*20*30T	200
125(5")*1.8*20*40T	200
Φ150(6")*2.0*25.4*40T	50
Φ150(6")*2.0*25.4*60T	50
Φ180(7")*2.2*20*40T	50
Φ180(7")*2.2*25.4*40T	50
Φ180(7")*2.2*20*60T	50
Φ180(7")*2.2*25.4*60T	50
Φ180(7")*2.2*25.4*80T	50
Φ200(8")*2.4*25.4*40T	50
Φ200(8")*2.4*25.4*60T	50
Φ200(8")*2.4*25.4*80T	50
Φ230(9")*2.6*25.4*40T	25
Φ230(9")*2.6*25.4*60T	25
Φ230(9")*2.6*25.4*80T	25
Φ230(9")*2.6*25.4*100T	25
Φ250(10")*2.8*25.4*40T	25
Φ250(10")*2.8*25.4*60T	25
Φ250(10")*2.8*25.4*80T	25
Φ250(10")*2.8*25.4*100T	25
Φ250(10")*2.8*25.4*120T	25
Φ180(7")*1.8*25.4*60T(薄片Thin kerf)	50
Φ230(9")*1.8*25.4*60T(薄片Thin kerf)	25
Φ230(9")*1.8*25.4*80T(薄片Thin kerf)	25
Φ250(10")*1.8*25.4*60T(薄片Thin kerf)	25
Φ250(10")*1.8*25.4*80T(薄片Thin kerf)	25

直径*切口*内径*齿数 OD*Kerf*ID*Teeth	装箱数 PCS/CTN
Φ300(12")*3.2*30*40T	20
Φ300(12")*3.2*30*48T	20
Φ300(12")*3.2*30*60T	20
Φ300(12")*3.2*30*72T	20
Φ300(12")*3.2*30*72T	20
Φ300(12")*3.2*30*80T	20
Φ300(12")*3.2*30*96T	20
Φ300(12")*3.2*30*96T	20
Φ300(12")*3.2*30*100T	20
Φ300(12")*3.2*30*120T	20
Φ350(14")*3.4*30*40T	10
Φ350(14")*3.4*30*60T	10
Φ350(14")*3.4*30*80T	10
Φ350(14")*3.4*30*100T	10
Φ350(14")*3.4*30*120T	10
Φ400(16")*3.6*30*40T	10
Φ400(16")*3.6*30*60T	10
Φ400(16")*3.6*30*80T	10
Φ400(16")*3.6*30*100T	10
Φ400(16")*3.6*30*120T	10
Φ450(18")*3.8*30*40T	5
Φ450(18")*3.8*30*60T	5
Φ450(18")*3.8*30*80T	5
Φ450(18")*3.8*30*100T	5
Φ450(18")*3.8*30*120T	5
Φ500(20")*4.0*30*60T	5
Φ500(20")*4.0*30*80T	5
Φ500(20")*4.0*30*100T	5
Φ500(20")*4.0*30*120T	5

专业级铝用
PROFESSIONAL QUALITY FOR ALUMINIUM

应用:适用于切断、分料
适用机器:台锯、便携式圆锯机
加工材料:铝管、型材、铝块、铜、塑钢
优势:耐用
Application: For cutting and dividing tubes
Machines: Table saw, mitre saw
Material: Aluminium tubes frames, solid blocks copper, plastic
Advantage:Durable

锯齿细节Carbide Details

专业级铝合金系列参数Professional Quality for Aluminium Series Specifications

直径*切口*内径*齿数 OD*Kerf*ID*Teeth	装箱数(片/件) PCS/CTN	直径*切口*内径*齿数 OD*Kerf*ID*Teeth	装箱数(片/件) PCS/CTN
Φ110(4")*2.2*20*40T	200	Φ400(16")*3.6*30*100T	10
Φ230(9")*2.8*25.4*100T	25	Φ400(16")*3.6*30*120T	10
Φ250(10")*3.0*25.4*100T	25	Φ450(18")*3.8*30*100T	5
Φ250(10")*3.0*25.4*120T	25	Φ450(18")*3.8*30*120T	5
Φ300(12")*3.2*30*100T	20	Φ500(20")*4.0*30*100T	5
Φ300(12")*3.2*30*120T	20	Φ500(20")*4.0*30*120T	5
Φ350(14")*3.4*30*100T	10		
Φ350(14")*3.4*30*120T	10		

ЗВЕРЬ® DLTC® TCT SAW BLADE

高档木用
PREMIUM QUALITY FOR WOOD

应用:适用于纵、横切
适用机器:手提锯、台锯、便携式圆锯机
加工材料:软木、硬木、胶合板
优势:更精密、切面光洁、低音切割可选
Application: For rip and cross cut
Machines: Portable machines, table and mitre saws
Material: Soft and hard wood plywood
Advantage: High precision,more smooth low noise cut optional

锯齿细节Carbide Details

高档木工系列参数Premium Quality for Wood Series Specifications

直径*切口*内径*齿数 OD*Kerf*ID*Teeth	装箱数 PCS/CTN	直径*切口*内径*齿数 OD*Kerf*ID*Teeth	装箱数 PCS/CTN
Φ110*2. 2*20*30T	200	Φ300*3. 2*30*60T	10
Φ110*2. 2*20*40T	200	Φ300*3. 2*30*72T	10
Φ125*2. 2*20*30T	200	Φ300*3. 2*30*80T	10
Φ125*2. 2*20*40T	200	Φ300*3. 2*30*96T	10
Φ180*2. 4*25. 4*40T	50	Φ350*3. 4*30*60T	10
Φ180*2. 4*25. 4*60T	50	Φ350*3. 4*30*80T	10
Φ180*2. 4*25. 4*80T	50	Φ400*3. 6*30*60T	10
Φ200*2. 4*25. 4*40T	50	Φ400*3. 6*30*80T	10
Φ200*2. 4*25. 4*60T	50	Φ450*3. 8*30*60T	5
Φ200*2. 4*25. 4*80T	50	Φ450*3. 8*30*80T	5
Φ230*2. 8*25. 4*40T	25	Φ500*4. 0*30*60T	5
Φ230*2. 8*25. 4*60T	25	Φ500*4. 0*30*80T	5
Φ230*2. 8*25. 4*80T	25	Φ100*1. 5*20*20T（多用片Multi Cutter）	200
Φ250*3. 0*25. 4*40T	25	Φ100*1. 5*20*30T（多用片Multi Cutter）	200
Φ250*3. 0*25. 4*60T	25	Φ100*1. 5*20*40T（多用片Multi Cutter）	200
Φ250*3. 0*25. 4*80T	25	Φ110*1. 6*20*32T（切铁片Metal cutter）	200
		Φ120*2. 8/3. 6*20*12+12T（双划线Scoring Saw Blade）	50
		Φ120*3. 0/4. 0*20*24T（单划线Scoring Saw Blade）	50

高档铝用
PREMIUM QUALITY FOR ALUMINIUM

应用:适用于切断、分料
适用机器:台锯、便携式圆锯机
加工材料:铝管、型材、铝块、铜、塑钢
优势:更精密、切面光洁、低音切割可选
Application: For cutting and dividing tubes
Machines: Table saw, mitre saw
Material: Aluminium tubes frames, solid blocks copper, plastic
Advantage: High precision,more smooth low noise cut optional



锯齿细节Carbide Details



高档铝合金系列参数Premium Quality for Aluminium Series Specifications

直径*切口*内径*齿数 OD*Kerf*ID*Teeth	装箱数 PCS/CTN	直径*切口*内径*齿数 OD*Kerf*ID*Teeth	装箱数 PCS/CTN
Φ250*3. 0*25. 4*100T	25	Φ400*3. 6*30*100T	10
Φ250*3. 0*25. 4*120T	25	Φ400*3. 6*30*120T	10
Φ300*3. 2*30*100T	10	Φ450*3. 8*30*100T	5
Φ300*3. 2*30*120T	10	Φ450*3. 8*30*120T	5
Φ350*3. 4*30*100T	10	Φ500*4. 0*30*100T	5
Φ350*3. 4*30*120T	10	Φ500*4. 0*30*120T	5

ЗВЕРЬ® DLTC® TCT SAW BLADE

原木多片锯
MULTI-RIP SAW BLADE

应用:适用于圆木，方木纵切，刮刀锯片有效阻止切割中的钢板与材料的接触

适用机器:多锯片机器

加工材料:干木、湿木、软木、硬木

Application: For rip cutting where the rakers prevent contact befween the steel plate body and the material in use

Machines: Multi-rip machines

Material: (Wet or dry) Soft and hard wood

原木多片锯参数Multi-rip Saw Blade Specifications

直径*切口*齿数 OD*Kerf*Teeth	刮刀数量 Rakers	直径*切口*齿数 OD*Kerf*Teeth	刮刀数量 Rakers
125*(1.4-2.0)*20		305*(2.2-2.6)*36	4
125*(≥2.0)*20		305*(≥2.6)*36	4
150*(1.4-2.0)*24	2	320*(2.4-3.0)*36	4
150*(≥2.0)*24	2	320*(≥3.0)*36	4
160*(1.4-2.0)*24	2	330*(2.4-3.0)*36	4
160*(≥2.0)*24	2	330*(≥3.0)*36	4
180*(2.0-2.6)*24	2	355*(2.4-3.2)*40	4
205*(2.0-2.6)*30	2	355*(≥3.2)*40	4
210*(2.0-2.6)*30	2	380*(2.8-3.6)*40	4
230*(2.0-2.6)*30	2	405*(2.8-3.6)*40	4
255*(2.0-2.6)*36	3	430*(3.0-3.6)*40	4
255*(≥2.6)*36	3	450*(3.2-3.8)*40	4
280*(2.2-2.6)*36	4	480*(3.6-4.4)*40	4
280*(≥2.6)*36	4	500*(3.8-4.4)*40	4

原木多片锯 MULTI-RIP SAW BLADE

锯齿细节Carbide Details

ЗВЕРЬ® DLTC® TCT SAW BLADE

工业级铝用锯片
INDUSTRIAL QUALITY FOR ALUMINIUM

应用:适用于切断、分料
适用机器:台锯、便携式圆锯机
加工材料:铝管、型材、铝块、铜、塑钢
优势:更精密、切面光洁、低音切割可选
Application: For cutting and dividing tubes
Machines: Table saw, mitre saw
Material: Aluminium tubes frames, solid blocks copper, plastic
Advantage: High precision,more smooth low noise cut optional

锯齿细节Carbide Details



工业级参数Industrial grade Quality Specifications

铝合金锯片 Aluminum alloy blade	刃型 Teeth shape	铝合金锯片 Aluminum alloy	刃型 Teeth shape
200*3.0*30/25.4*100	TCG	400*3.6*30/25.4*100	TCG
255*3.0*30/25.4*100	TCG	400*3.6*30/25.4*120	TCG
255*3.0*30/25.4*120	TCG	400*4.0*30/25.4*100	TCG
300*3.2*30/25.4*100	TCG	400*4.0*30/25.4*120	TCG
300*3.2*30/25.4*120	TCG	450*4.0*30/25.4*100	TCG
350*3.2*30/25.4*100	TCG	450*4.0*30/25.4*120	TCG
350*3.2*30/25.4*120	TCG	500*4.4*30/25.4*100	TCG
405*3.2*30/25.4*100	TCG	500*4.4*30/25.4*120	TCG
405*3.2*30/25.4*120	TCG		

工业级裁板锯片
INDUSTRIAL QUALITY FOR PANEL SAW

应用:适用于裁板、带划槽的精密切割
适用机器:台锯、水平和垂直裁板机器
切割材料:单双贴面板
Application: For sizing cuts perfect finishing by using scoring blades
Machines: Table saws,horizontal and vertical sizing machines
Material: Single or double-sided plastic-laminated panels



锯齿细节Carbide Details



工业级参数Industrial grade Quality Specifications

裁板锯片 Panel saw blade	刃型 Teeth shape
300*3.2*30*60	ATB
300*3.2*30*72	ATB/TCG
300*3.2*30*80	ATB/TCG
300*3.2*30*96	ATB/TCG
120*2.8-3.6*20(22)*12+12	ATB
120*3.0-4.0*20(22)*24	CON